Valley Manufacturing Co.

- Since 1890 -

Woodburn, Oregon, U.S. A. 97071


Catalog No. 3, 1967

STIRRUPS

Bound with Galvanized Iron and Plain Wood




TELEPHONE 982-1271 AREA CODE 503



FRONT VIEW Of STANDARD CURVED SIDE BELL BOTTOM


Side Views Below and Opposite Page:



Bound with 28 gauge galvanized steel. 5/16" carriage bolt, plated to resist rust. Hex-jam nut (only 3/16" thick). Made from 7/16" thick Oregon Oak.

GURVE SIDE


(MORAN)




Made in the following sizes:

1½"	4"
2"	41/2
21/2"	5"
3"	6"
3½"	

ROPER








Sizes

2"	
21/2"	
3"	


ROPER, EXTRA LONG






Made in sizes:

2½" 3" 4"




BARREL RACER





LADIES'




Sizes:

1½" 2" 2½" 3"

also used as Barrel Racers

YOUTH'S

GALVANIZED BOUND (VISALIA)




Tread Sizes

> 1½" 2"


CHILD'S


To insure safety for the small rider.





YOUTH'S WOOD






For Youths Saddles & Bareback Riding Pads.


MEN'S WOOD


Recommended for Bareback Riding Pads.






OVERSHOE






OVERSIZE STANDARD

(HAGELSTEIN) FOR LEATHER COVERING







No. 6 MEN'S GALV.

